

HEAT TRANSFER TECHNOLOGIES

Transfer Presses - Large Format Presses - Accessories











CLAM ONE

Weight
Pressure
Max temperature
Power supply
Electric power
Amperage
Plate
Dimensions (HxLxW)
Packing
Features

44 Kg
254 gr/cm²
220°C
240V single phase
2500 W
11 A
40x50 cm
857x742x455 mm
CAI-NO3
Manual closing
Manual opening



CLAM PRO

Weight
Pressure
Max temperature
Power supply
Electric power
Amperage
Plate
Dimensions (HxLxW)
Packing
Features

58 Kg 330 gr/cm² 220°C 240V single phase 3200 W 14 A 40x50 cm 969x990x453 mm CAI-O11 Automatic opening Manual drawer



Weight
Pressure
Max temperature
Power supply
Electric power
Amperage
Plate
Dimensions (HxLxW)
Packing
Features

80 Kg 590 gr/cm² 220°C 240V single phase 2500 W 11 A 40x50cm 759x909x569 mm CAI-O11 Manual opening Manual swing

ROTEX ONE

81 Kg 590 gr/cm² 220°C 240V single phase 2500 W 11 A 40x50 cm 759x909x569 mm CAI-O11 Automatic opening Manual swing

ROTEX LITE

81 Kg 590 gr/cm² 220°C 240V single phase 3200 W 14 A 40x50 cm 759x909x594 mm CAI-OII Automatic opening Automatic swing

ROTEX PRO

ROTEX AIR LITE

Weight
Pressure
Max temperature
Power supply
Electric power
Amperage
Plate
Dimensions (HxLxW)
Packing
Features

81 Kg 400 gr/cm² 220°C 240V single phase 2500 W 11 A 40x50cm 621x847x572 mm CAI-O11 Automatic opening Automatic closing Manual swing Compressed air required

ROTEX AIR PRO

81 Kg 400 gr/cm² 220°C 240V single phase 3200 W 14 A 40x50 cm 621x847x597 mm CAI-OII Automatic opening Automatic closing Automatic swing Compressed air required









	DUPLEX LITE	DUPLEX PRO	DUPLEX AIR PRO	DUPLEX MINI PRO
Weight Pressure Max temperature Power supply Electric power Amperage Plate Dimensions (HxLxW) Packing Features	158 Kg 625 gr/cm² 220°C 240V single phase 3200 W 14 A 40x50 cm 713x891x1079 mm CAI-DU-PRO Automatic opening Automatic closing Manual swing Compressed air required	170 Kg 625 gr/cm² 220°C 240V single phase 3200 W 14 A 40x50 cm 713x891x1079 mm CAI-DU-PRO Automatic opening Automatic closing Automatic swing Compressed air required	193 Kg 625 gr/cm² 220°C 240V single phase 3200 W 14 A 40x50 cm 713x891x1079 mm CAI-DU-PRO Automatic opening Automatic closing Automatic swing Membrane plate Compressed air required	60 Kg 993 gr/cm² 220°C 240V single phase 600 W 3 A Not included 625x646x941 mm CAI-009 Automatic opening Automatic closing Manual swing Compressed air required



Weight
Pressure
Max temperature
Power supply
Electric power
Amperage
Plate
Dimensions (HxLxW)
Packing
Features

19 Kg 600 gr/cm² 220°C 240V single phase 400 W 2 A 13x13cm 621x549x233 mm AMERICAN Manual opening Manual closing

LM 130 REL

LE 130 L

22 Kg
600 gr/cm²
220°C
240V single phase
400 W
2 A
13x13 cm
621x549x233 mm
AMERICAN
Automatic opening
Manual closing

LP 130 T

25 Kg
940 gr/cm²
220°C
240V single phase
400 W
2 A
13x13 cm
498x544x274 mm
AMERICAN
Automatic opening
Automatic closing
Compressed air
required

CLAM SPORT

Weight
Max temperature
Power supply
Electric power
Amperage
Plate
Dimensions (HxLxW)
Packing
Features

24 Kg 220°C 240V single phase 600 W 3 A Not included 899x503x263 mm CAI-SPORT Automatic opening







LARGE FORMAT PRESSES



SLIDE 540 LITE/PRO

Weight
Pressure
Max temperature
Power supply
Electric power
Amperage
Plate
Working area
Dimensions (HxLxW)
Packing

82.5 Kg 363 gr/cm² 220°C 240V 3200 W 14 A 40x50 cm

486x880x728mm
CAI-DU-PRO
Automatic opening
Automatic closing
Manual drawer LITE
Automatic drawer PRO
1 heating zone

SLIDE 655 LITE/PRO

115 Kg
363 gr/cm²
220°C
240V
3200 W
14 A
64x54 cm
60x50 cm
665x722x870 mm
CAI-DU-PRO
Automatic opening
Automatic closing
Manual drawer LITE
Automatic drawer PRO
1 heating zone

SLIDE 865

Weight
Pressure
Max temperature
Power supply
Electric power
Amperage
Plate
Working area
Dimensions (HxLxW)
Packing
Features

261 Kg
453 gr/cm²
255°C
240V single phase
6000 W
28 A
85x65 cm
80x60 cm
794x1756x893 mm
CAI-SLIDE
Automatic opening
Automatic closing
Manual drawer
2 heating zones

SLIDE 1285

Features

419 Kg
386 gr/cm²
255°C
400V 3 phases
12000 W
18 A
125x85 cm
120x80 cm
794x2153x1286 mm
CAI-SLIDE
Automatic opening
Automatic closing
Manual drawer
2 heating zones





SUBLI 1510 + 1000 Kg Weight Pressure 296 gr/cm² Max temperature 220°C 400V 3 phases Power supply Electric power 20250 W **Amperage** 32 A 157x107 cm Plate Working area 152x102 cm 1370x2740x2019 mm Dimensions (HxLxW) **Packing** CAI-SUBLI **Features** Automatic opening Automatic closing Automatic drawing 2 Plates 2 heating zones




SUBLIMAXI 2513

2180 Kg Weight Pressure 318 gr/cm² 220°C Max temperature 400V 3 phases Power supply Electric power 35000 W 56 A **Amperage** 255x130 cm Plate Working area 250x125 cm Dimensions (HxLxW) 1446x3202x3007 mm **Packing** CAI-SUBLI-2513 Features Automatic opening Automatic closing Automatic drawer 2 Plates 4 heating zone

ACCESSORIES





Support Tables

TAB-98 LITE / R	For all except Duplex and Slide (R for wheels)
TAB-98 PRO / R	For Duplex range (R for wheels)
TABL-98 / R	For Slide models (R for wheels)



Compressors

COMP-37	FOR AIR CLAM X, ROTEX AIR AND LP 130 T
COMP-74	FOR DUPLEX MINI AND SLIDE 865
COMP-111	FOR DUPLEX, SLIDE 1285 AND SUBLI 1510 +
COMP-300	FOR SUBLIMAXI 2513 +



Large Format Accessories

FEU-XXX	POLYESTER / ARAMID FELT FOR SLIDE & SUBLI
TOI-TXXXX	HEAT PLATE TEFLON COVER FOR SLIDE & SUBLI
TOI-NXXXX	HEAT PLATE NOMEX® COVER FOR SLIDE & SUBLI
PAP-SU-XXX	HD SUBLIMATION PAPER 120 g/m





Working Plates	
PLA-SET	Set with 48, 49, 50 & 51
PLA-48	15 x 15 cm
PLA-49	12 x 8 cm
PLA-50	25 x 30 cm
PLA-51	12 x 45 cm
PLA-3040	30 x 40 cm
PLA-DRY M	Sponge drying plate 40 x 50 cm
ACC-CHAUD-INF	Heating lower plate 40 x 50 cm
PLA-3035 AIRCLAM	Membrane plate 30 x 35 cm

Shoe plate 40 x 50 cm



PLA-SHOES CV

Nomex® Covers		
HOU-50	For 40 x 50 cm plate	
HOU-3040	For 30 x 40 cm plate	
HOU-2530	For 25 x 30 cm plate	
HOU-1245	For 12 x 45 cm plate	
HOU-4555	For 45 x 55 cm plate	




Laser System	
CROI-161	For ROTEX series (1 laser)
CROI-160	For DUPLEX series (2 lasers)
CROI-160X4	For DUPLEX series (4 lasers)
LAS-PRO	Additional laser



Sport Accessories	
ACC-CAP CB v3	Upper & lower cap accessory for Clam Sport
ACC-CAP US CB v3	Upper & lower US cap accessory for Clam
ACC-SHL CB	Lower logo & shoes accessory for Clam Sport
ACC-BALL v3	Upper & lower ball accessory for Clam Sport
PLA-6 CB v3	Flat heating plate for ball and shoe for Clam Sport
PLA-CB2	Lower ball accessory
ACC-PLA DUPLEX MINI PRO	Logo plate 16 x 16 cm
ACC-CAP DUPLEX MINI PRO	Cap accessory 18 x 8 cm

TECHNICAL SPECS



Legend





























HEAT TRANSFER TECHNOLOGIES

Since 1973, Sefa, a French designer and manufacturer of heat transfer presses for the textile industry and sublimation market on solid materials, with an international experience and a recognized quality of products.

WHO WE ARE

Sefa offers standard or personalized solutions to transfer on T-shirts, sporting goods, caps, luggage, cups, mousepads and other items of visual and photographic communication. Our wide range of presses extends from the single-tray manual press for the launch of your activity, to the large format sublimation press for Chromaluxe applications, to the dual plate pneumatic press for higher production rates. Morerecently, we have come to add to our presses drying solutions for direct printing applications and have now been very well known for our large presses range dedicated to sublimation technology.



FLEXDEV Group is present in the field of textile personalisation / decoration thanks to its different companies: heat transfers for textile – CHEMICA, screen printing heat transfers – STILSCREEN & SPORTING ID, customisation services – ELMS MARKETING, online craft distribution – TRANSFER ID and heat transfer presses with SEFA.

WWW.SEFA.FR



MADE IN FRANCE

High quality manufacturing made in Esperaza, France.



HERE TO HELP

Assistance and support from our multilingual customer service.



QUALITY ACHIEVEMENT

The largest range of quality and innovative products.



WORLDWIDE BUSINESS

Products sold in more than 80 countries.



WORK WITH PASSION

Your full satisfaction drives us throught the work we do on each press, day after day.

CONTACT INFORMATION



sales@sefa.fr support@sefa.fr



+33 (0)4 68 74 05 89



ZI de Pastabrac 11260 Espéraza, France

